

## PROPERTIES OF LIQUIDS AND GASES

### BOTTLES-DENSITY (ADJUSTED)

Accurately adjusted, with capillary stopper (BS.733).

	Capacity Tolerance	
	ml	ml
P19-0100	10	0.5
P19-0110	25	1.0
P19-0120	50	1.0
P19-0130	100	2.0

### BOTTLES-DENSITY (UNADJUSTED)

Unadjusted, with capillary stopper. Capacities stated are nominal.

	Capacity (ml)
P19-0150	10
P19-0160	25
P19-0170	50
P19-0180	100

### BUCKET AND CYLINDER, metal, Archimedes type

The cylinder has a length of 60mm and internal diameter of 12mm. The suspended overall length is 160mm.

P19-0250 Bucket and Cylinder

### ACCUMULATOR HYDROMETER

Fitted with flexible nozzle and compressible bulb. The float, 110mm long, is calibrated 1.100 to 1.300 x 0.01.

P19-0660 Accumulator Hydrometer

### HYDROMETERS

200° range, length 25cm, subdivided 0.002 s.g., accuracy  $\pm 0.002$  s.g.

- P19-0700 Hydrometer, 0.600 to 0.800
- P19-0710 Hydrometer, 0.800 to 1.000
- P19-0720 Hydrometer, 1.000 to 1.200
- P19-0730 Hydrometer, 1.200 to 1.400
- P19-0740 Hydrometer, 1.400 to 1.600
- P19-0750 Hydrometer, 1.600 to 1.800
- P19-0760 Hydrometer, 1.800 to 2.000

### HYDROMETERS

Extra wide range, length 25cm, subdivided 0.005 s.g.

- P19-0800 Hydrometer, 0.700 to 1.000
- P19-0810 Hydrometer, 1.000 to 1.300
- P19-0820 Hydrometer, 1.000 to 1.500
- P19-0830 Hydrometer, 1.300 to 1.600
- P19-0840 Hydrometer, 1.500 to 2.000

### HYDROMETERS,

Universal range, length 37cm, subdivided 0.010 s.g.

P19-0870 Hydrometer, 0.700 to 2.000



P19-0120



P19-0250



P19-0700 et seq

P19-0820

P19-0870